

SUMIKAFLEX® 950HQ Series

Revision Date: Spec ID: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SUMIKAFLEX® 950HQ Series

Manufacturer or supplier's details

Company : SUMITOMO CHEMICAL COMPANY, LIMITED

Contact person : Specialty Chemicals Division

104-8260

27-1, Shinkawa 2-chome, Chuo-ku, Tokyo 104-8260, Japan

Telephone : +81-3-5543-5643

Telefax : +81-3-5543-5916

Emergency telephone : Asia - Pacific region (excluding China):+65-3158-

number 1074(CARECHEM24, Singapore)

Recommended use of the chemical and restrictions on use

Recommended use : For general industrial use

2. HAZARDS IDENTIFICATION

GHS Classification

Explosives : Classification not possible

Flammable gases : Not applicable

Aerosols : Not applicable

Oxidizing gases : Not applicable

Gases under pressure : Not applicable

Flammable liquids : Not classified

Flammable solids : Not applicable

Self-reactive substances and mixtures : Classification not possible

Pyrophoric liquids : Not applicable

Pyrophoric solids : Not applicable

Self-heating substances and mixtures : Classification not possible

Substances and mixtures, which in contact :

with water, emit flammable gases

Not applicable

Oxidizing liquids : Classification not possible

Oxidizing solids : Not applicable



SUMIKAFLEX® 950HQ Series

Revision Date: Spec ID: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

Organic peroxides : Not applicable

Corrosive to metals : Classification not possible

Acute toxicity (Oral) : Classification not possible

Acute toxicity (Dermal) : Classification not possible

Acute toxicity (Inhalation - gas) : Not applicable

Acute toxicity (Inhalation - vapor) : Classification not possible

Acute toxicity (Inhalation - dust and mist) : Classification not possible

Skin corrosion/irritation : Classification not possible

Serious eye damage/eye irritation : Classification not possible

Respiratory sensitisation : Classification not possible

Skin sensitisation : Classification not possible

Germ cell mutagenicity : Classification not possible

Carcinogenicity : Classification not possible

Reproductive toxicity : Classification not possible

Specific target organ toxicity - single

exposure

Aposaro

Specific target organ toxicity - repeated

exposure

: Classification not possible

Classification not possible

Aspiration hazard : Classification not possible

Acute aquatic toxicity : Classification not possible

Chronic aquatic toxicity : Classification not possible

Hazardous to the ozone layer : Classification not possible

GHS label elements

Hazard pictograms : Not Applicable

Signal word : Not Applicable

Hazard statements : Not Applicable

Precautionary statements : Prevention:

Not Applicable

Response:

Not Applicable



SUMIKAFLEX® 950HQ Series

Revision Date: Spec ID: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

Storage:

Not Applicable

Disposal:

Not Applicable

Other hazards which do not result in classification

When heated, the vapors/fumes given off may cause respiratory tract irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical Name	CAS-No.	Concentration(%)
Neodecanoic acid, ethenyl ester, polymer with ethene and ethenyl acetate	Trade secret	52-56
Water	7732-18-5	44-48
emulsifier	Trade secret	Trade secret

4. FIRST AID MEASURES

If inhaled : Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Administer oxygen if breathing is difficult.

Apply artificial respiration if victim is not breathing.

Rinse nose, mouth and throat with water. Keep victim warm with a blanket etc. Get immediate medical advice/attention.

If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs.

In case of skin contact : Gently wash with plenty of soap and water.

Remove/Take off immediately contaminated clothing and

shoes.

If skin irritation or rash occurs: Get medical advice/attention.

In case of eye contact : Do not rub eye.

Hold eyelids apart.

Begin to rinse with water as soon as possible and rinse

cautiously for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing

Get immediate medical advice/attention.

If swallowed : Rinse mouth.

Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Keep victim warm with a blanket etc. Get immediate medical advice/attention.

If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs.

Administer oxygen if breathing is difficult.

Apply artificial respiration if victim is not breathing.



SUMIKAFLEX® 950HQ Series

Revision Date: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

During rescue operations, wear protective equipment (see "8. Protection of first-aiders

Exposure control/personal protection").

5. FIREFIGHTING MEASURES

Suitable extinguishing media Dry chemical powder

> Regular foam Carbon dioxide Dry sand

Unsuitable extinguishing

media

Straight streams

Specific hazards during

firefighting

Cool cylinders/containers with an appropriate cooling means, paying heed to incompatible hazardous substances (see "10.

Stability and reactivity").

The combustion gas may contain an irritating, corrosive and/or

toxic gas.

Harmful gases (see "10. Stability and reactivity") and metal

oxide fumes may be released by fire and may cause dizziness, suffocation, or other health hazards.

Heating may cause cylinders/containers to explode or to

rocket.

Specific extinguishing

methods

Evacuate immediately before the cylinder/container

temperature higher than their rupture risk level.

Keep upwind.

Fight fire from a protected location. Keep unauthorized personnel away.

In case of a large fire and large quantities: Evacuate the area and extinguish the fire from a distance in accordance with the

risk of explosion.

Protecting other nearby combustibles before they catch fire: Remove cylinders/containers or sprinkle them with water, etc.,

if this can be done safely.

Protecting the product from external fire: Remove productcontaining cylinders/containers to a safe place, or cool the nearby equipment with water, etc., if this can be done safely. If the fire cannot be stopped, let it burn itself out while cooling

with water spray to prevent the fire from spreading.

Confining and smothering fire is preferable.

Stop leak if possible without any risk.

Dike fire water for later disposal; do not spread the material. Cool containers with flooding quantities of water until well after

fire is out.

Special protective equipment:

for firefighters

Wear regional, national, and local standards approved fire

fighting turnout gear and positive pressure self-contained

breathing apparatus (SCBA).

Wear flame-resistant or fireproof clothes, with face shield,

helmet and gloves.



SUMIKAFLEX® 950HQ Series

Revision Date: Spec ID: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Personal precautions

Use personal protection recommended in "8. Exposure

control/personal protection".

Wear appropriate protective equipment (see "8. Exposure control/personal protection") to avoid contact of droplets with

the skin, or inhalation of mist or vapors.

Emergency procedures

Evacuate people who are downwind, and keep upwind while

working.

Keep unauthorized personnel away.

If the surrounding area may be affected (including health

impairment), warn the nearby residents.

Remove immediately all ignition sources nearby.

Form large safety zone.

Prevention of secondary hazards

ELIMINATE all ignition sources such as heat/sparks/open

flames/hot surfaces/static discharges.

Prepare appropriate extinguishing agent. (See "5. Fire-fighting

measures")

Environmental precautions : Avoid release to the environment.

Methods and materials for containment and cleaning up

Collect the leakage promptly.

Stop leak if possible without any risk.

Dike far ahead of liquid spill for later disposal.

Absorb remaining liquid in dry earth, sand or other non-

combustible material and remove to safe place.

Use explosion-proof electrical/ventilating/lighting/equipment. ELIMINATE all ignition sources such as heat/sparks/open

flames/hot surfaces/static discharges.

Consult with an expert when collecting the leakage.

Collect leakage after taking measures for safe handling (see

"7. Handling and storage").

See "13. Disposal considerations".

7. HANDLING AND STORAGE

Technical measures : ELIMINATE all ignition sources.

Take precautionary measures against static electricity such as

grounding and bonding, wearing anti-static footwear and

clothing, using grounded conductive floor.

Use explosion-proof electrical/ventilating/lighting/equipment.

Prevent generation of mist.

Use only outdoors or in a well-ventilated area.

Do not eat, drink or smoke when using this product.

Install appropriate equipment and wear appropriate personal protective equipment (see "8. Exposure control/personal

protection").

Local/Total ventilation : Ventilate by a system of local and/or general exhaust.

Advice on safe handling : Keep away from incompatible materials (see "10. Stability and

reactivity").



SUMIKAFLEX® 950HQ Series

Revision Date: Spec ID: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

Conditions for safe storage : Keep in a fire-proof designed place.

Store under controlled lighting and appropriate ventilation.

Take precautionary measures against static electricity such as grounding and bonding, wearing anti-static footwear and

clothing, using grounded conductive floor.

clothing, using grounded conductive floor.

Ground/bond container and receiving equipment.

Keep away from direct sunlight. Store in a well-ventilated place. See "10. Stability and reactivity"

Protect from freezing and direct sunlight.

Keep container tightly closed. Store in a well-ventilated cool

place (5 - 30 °C).

Packaging material : Suitable material: Polyethylene (PE)

Unsuitable material: No information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Use a local and/or general ventilation system.

Provide facilities to wash hands, eyes, and the body at the

working place.

Personal protective equipment

Respiratory protection : Be sure to use breathing protective equipment only chosen

according to specific regulatory requirements after a risk

assessment.

When an emergency or leak occurs, wear air respirator or positive pressure self-contained breathing apparatus (SCBA).

Hand protection : Be sure to use hand protective equipment only chosen

according to specific regulatory requirements after a risk

assessment.

impervious gloves

Eye protection : Be sure to use eye protective equipment only chosen

according to specific regulatory requirements after a risk

assessment.

chemical safety goggles or glasses and full face shield.

Skin and body protection : Be sure to use personal protective equipment (PPE) only

chosen according to specific regulatory requirements after a

risk assessment.

Suitable impervious protective clothing, including protective

footwear, gloves, lab coat, apron or coveralls.

Hygiene measures : Do not inhale this product.

Wash face and hands thoroughly after handling.



SUMIKAFLEX® 950HQ Series

Revision Date: Spec ID: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Emulsion

Colour : Milky white

Odour : Slight odor

pH : 4.0 - 7.0

Melting point/freezing point : no data available

Initial boiling point and boiling

range

no data available

Flash point : Method: Tag closed cup

No data available (Test flame was extinguished by non-

combustible vapor generated from the sample during the test.)

Evaporation rate : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 1.0 (25 °C)

Density : no data available

Water solubility : no data available

Solubility in other solvents : no data available

Partition coefficient: n-

octanol/water

no data available

Auto-ignition temperature : no data available

Decomposition temperature : no data available

10. STABILITY AND REACTIVITY

Chemical stability : no data available

Possibility of hazardous

reactions

Fire may produce metal oxide(s) dust.

Mist may form an explosive mixture with air regardless of

temperature. Open flame Mechanical spa

Mechanical spark Electrical spark Welding spark



SUMIKAFLEX® 950HQ Series

Revision Date: Spec ID: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

> Hot surface(s) heating Friction heat

Electrostatic discharge

Strong bases

: may cause a fire and/or explosion

Strong oxidizers Strong acids

: may cause a fire, explosion, and generation of a toxic gas

Conditions to avoid : Open flame

Mechanical spark Electrical spark Welding spark heating

Hot surface(s)

Electrostatic discharge

Incompatible materials : Strong oxidizers

Strong acids
Strong bases

Hazardous decomposition

products

Carbon monoxide
Carbon dioxide

Hydrocarbons

soot

Nitrogen Oxides Sulfur oxides.

May generate fine particles containing metal components.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: no data available

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : Remarks: no data available

Skin corrosion/irritation

Product:

Remarks: no data available

Serious eye damage/eye irritation

Product:

Remarks: no data available



SUMIKAFLEX® 950HQ Series

Revision Date: Spec ID: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

Respiratory or skin sensitisation

Product:

Test Type: Respiratory sensitisation

Remarks: no data available

Test Type: Skin sensitisation Remarks: no data available

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: no data available

Genotoxicity in vivo : Remarks: no data available

Carcinogenicity

Product:

Remarks: no data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: no data available

Effects on foetal : Remarks: no data available

development

STOT - single exposure

See Acute toxicity ("11.Toxicological information").

STOT - repeated dose toxicity

Product:

Remarks: no data available

Aspiration toxicity

Product:

no data available

Further information

Product:

Remarks: When heated, the vapors/fumes given off may cause respiratory tract irritation.



SUMIKAFLEX® 950HQ Series

Revision Date: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish Remarks: no data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: no data available

Toxicity to algae Remarks: no data available

Toxicity to fish (Chronic

toxicity)

Remarks: no data available

aquatic invertebrates (Chronic toxicity)

Toxicity to daphnia and other : Remarks: no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

Ozone-Depletion Potential Regulation: UNEP - Handbook for the Montreal Protocol on

> Substances that Deplete the Ozone Layer Remarks: not listed to the Montreal Protocol

13. DISPOSAL CONSIDERATIONS

Disposal methods

Dispose of contents/container appropriately in accordance with local/regional/national/international regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as dangerous goods

IATA-DGR

Not regulated as dangerous goods

IMDG-Code

Not regulated as dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



SUMIKAFLEX® 950HQ Series

Revision Date: Spec ID: Date of last issue: 19.08.2016 12.11.2019 900000052196 Date of first issue: 19.08.2016

Special precautions for user

Remarks : Make sure no damage, corrosion, leaks, and so on on the

container(s) before transportation.

Load not to fall, drop, damage the product, and make sure to

take measures to secure the loaded products.

Equip in automobile or ship for transportation with protective

equipment (gloves, eyeglasses, mask, etc), and fire

extinguisher, tools necessary for emergency.

15. REGULATORY INFORMATION

Please follow local regulations.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This Safety Data Sheet is applied to the following products.

SUMIKAFLEX® 950HQ

SUMIKAFLEX® 951HQ

SUMIKAFLEX® 955HQ